

## 参考文献:

- [1] CHEN W, ZHENG R, BAADE PD, et al. Cancer statistics in China, 2015[J]. *CA Cancer J Clin*, 2016, 66(2): 115–132. DOI: 10.3322/caac.21338.
- [2] ZHOU M, WANG H, ZENG X, et al. Mortality, morbidity, and risk factors in China and its provinces, 1990–2017: A systematic analysis for the Global Burden of Disease Study 2017[J]. *Lancet*, 2019, 394(10204): 1145–1158. DOI: 10.1016/S0140-6736(19)30427-1.
- [3] Society for Hepatobiliary, Medical Society of Western Returned Scholars Association; Society for Molecular Diagnosis, Chinese Research Hospital Association, SMD/CRHA; Expert Committee for Liver Cancer, Chinese Society of Clinical Oncology; et al. Consensus for clinical application of molecular diagnosis on hepatobiliary carcinoma[J]. *J Clin Hepatol*, 2020, 36(7): 1482–1488. DOI: 10.3969/j.issn.1001-5256.2020.07.008.
- 欧美同学会医师协会肝胆分会, 中国研究型医院学会分子诊断专委会, 中国临床肿瘤学会肝癌专委会, 等. 肝胆肿瘤分子诊断临床应用专家共识[J]. *临床肝胆病杂志*, 2020, 36(7): 1482–1488. DOI: 10.3969/j.issn.1001-5256.2020.07.008.
- [4] Bureau of Medical Administration National Health Commission of the People's Republic of China. Guidelines for diagnosis and treatment of primary liver cancer in China (2019 edition) [J]. *J Clin Hepatol*, 2020, 36(2): 277–292. DOI: 10.3969/j.issn.1001-5256.2020.02.007.
- 中华人民共和国国家卫生健康委员会医政医管局. 原发性肝癌诊疗规范(2019年版)[J]. *临床肝胆病杂志*, 2020, 36(2): 277–292. DOI: 10.3969/j.issn.1001-5256.2020.02.007.
- [5] LEE YJ, LEE JM, LEE JS, et al. Hepatocellular carcinoma: Diagnostic performance of multidetector CT and MR imaging – a systematic review and meta-analysis[J]. *Radiology*, 2015, 275(1): 97–109. DOI: 10.1148/radiol.14140690.
- [6] LIU X, JIANG H, CHEN J, et al. Gadoteric acid disodium – enhanced magnetic resonance imaging outperformed multidetector computed tomography in diagnosing small hepatocellular carcinoma: A meta-analysis[J]. *Liver Transpl*, 2017, 23(12): 1505–1518. DOI: 10.1002/lt.24867.
- [7] RAO SX, WANG J, WANG J, et al. Chinese consensus on the clinical application of hepatobiliary magnetic resonance imaging contrast agent: Gadoteric acid disodium[J]. *J Dig Dis*, 2019, 20(2): 54–61. DOI: 10.1111/1751-2980.12707.
- [8] ZENG MS, YE HY, GUO L, et al. Gd – EOB – DTPA – enhanced magnetic resonance imaging for focal liver lesions in Chinese patients: A multicenter, open – label, phase III study [J]. *Hepatobiliary Pancreat Dis Int*, 2013, 12(6): 607–616. DOI: 10.1016/s1499-3872(13)60096-x.
- [9] ICHIKAWA T, SAITO K, YOSHIOKA N, et al. Detection and characterization of focal liver lesions: A Japanese phase III, multicenter comparison between gadoteric acid disodium – enhanced magnetic resonance imaging and contrast – enhanced computed tomography predominantly in patients with hepatocellular carcinoma and chronic liver disease[J]. *Invest Radiol*, 2010, 45(3): 133–141. DOI: 10.1097/RLI.0b013e3181caea5b.
- [10] YOO SH, CHOI JY, JANG JW, et al. Gd – EOB – DTPA – enhanced MRI is better than MDCT in decision making of curative treatment for hepatocellular carcinoma[J]. *Ann Surg Oncol*, 2013, 20(9): 2893–2900. DOI: 10.1245/s10434-013-3001-y.
- [11] FORNER A, VILANA R, AYUSO C, et al. Diagnosis of hepatic nodules 20 mm or smaller in cirrhosis: Prospective validation of the noninvasive diagnostic criteria for hepatocellular carcinoma [J]. *Hepatology*, 2008, 47(1): 97–104. DOI: 10.1002/hep.21966.
- [12] CSCO. Guidelines of Chinese society of clinical oncology (CSCO) Hepatocellular carcinoma[M]. Beijing: People's Medical Publishing House, 2020.
- 中国临床肿瘤学会. 原发性肝癌诊疗指南[M]. 北京: 人民卫生出版社, 2020.
- [13] YIN L, LI H, LI AJ, et al. Partial hepatectomy vs. transcatheter arterial chemoembolization for resectable multiple hepatocellular carcinoma beyond Milan Criteria: A RCT[J]. *J Hepatol*, 2014, 61(1): 82–88. DOI: 10.1016/j.jhep.2014.03.012.
- [14] TORZILLI G, BELGHITI J, KOKUDO N, et al. A snapshot of the effective indications and results of surgery for hepatocellular carcinoma in tertiary referral centers: Is it adherent to the EASL/AASLD recommendations? : An observational study of the HCC East – West study group[J]. *Ann Surg*, 2013, 257(5): 929–937. DOI: 10.1097/SLA.0b013e31828329b8.
- [15] MURRAY LJ, DAWSON LA. Advances in stereotactic body radiation therapy for hepatocellular carcinoma[J]. *Semin Radiat Oncol*, 2017, 27(3): 247–255. DOI: 10.1016/j.semradonc.2017.02.002.
- [16] CHEN MS, LI JQ, ZHENG Y, et al. A prospective randomized trial comparing percutaneous local ablative therapy and partial hepatectomy for small hepatocellular carcinoma [J]. *Ann Surg*, 2006, 243(3): 321–328. DOI: 10.1097/01.sla.0000201480.65519.b8.
- [17] FENG K, YAN J, LI X, et al. A randomized controlled trial of radiofrequency ablation and surgical resection in the treatment of small hepatocellular carcinoma[J]. *J Hepatol*, 2012, 57(4): 794–802. DOI: 10.1016/j.jhep.2012.05.007.
- [18] NG K, CHOK K, CHAN A, et al. Randomized clinical trial of hepatic resection versus radiofrequency ablation for early – stage hepatocellular carcinoma [J]. *Br J Surg*, 2017, 104(13): 1775–1784. DOI: 10.1002/bjs.10677.
- [19] PENG ZW, ZHANG YJ, CHEN MS, et al. Radiofrequency ablation with or without transcatheter arterial chemoembolization in the treatment of hepatocellular carcinoma: A prospective randomized trial[J]. *J Clin Oncol*, 2013, 31(4): 426–432. DOI: 10.1200/JCO.2012.42.9936.
- [20] MORIMOTO M, NUMATA K, KONDOU M, et al. Midterm outcomes in patients with intermediate – sized hepatocellular carcinoma: A randomized controlled trial for determining the efficacy of radiofrequency ablation combined with transcatheter arterial chemoembolization [J]. *Cancer*, 2010, 116(23): 5452–5460. DOI: 10.1002/cncr.25314.
- [21] CHEN QW, YING HF, GAO S, et al. Radiofrequency ablation plus chemoembolization versus radiofrequency ablation alone for hepatocellular carcinoma: A systematic review and meta-analysis[J]. *Clin Res Hepatol Gastroenterol*, 2016, 40(3): 309–314. DOI: 10.1016/j.clinre.2015.07.008.
- [22] LLOVET JM, RICCI S, MAZZAFERRO V, et al. Sorafenib in advanced hepatocellular carcinoma[J]. *N Engl J Med*, 2008, 359(4): 378–390. DOI: 10.1056/NEJMoa0708857.

- [23] CHENG AL, KANG YK, CHEN Z, et al. Efficacy and safety of sorafenib in patients in the Asia – Pacific region with advanced hepatocellular carcinoma: A Phase III randomised, double – blind, placebo – controlled trial [J]. *Lancet Oncol*, 2009, 10 (1): 25 – 34. DOI: 10.1016/S1470 – 2045(08)70285 – 7.
- [24] KUDO M, FINN RS, QIN S, et al. Lenvatinib versus sorafenib in first – line treatment of patients with unresectable hepatocellular carcinoma: A randomised phase 3 non – inferiority trial [J]. *Lancet*, 2018, 391 (10126): 1163 – 1173. DOI: 10.1016/S0140 – 6736(18)30207 – 1.
- [25] FINN RS, QIN S, IKEDA M, et al. Atezolizumab plus bevacizumab in unresectable hepatocellular carcinoma [J]. *N Engl J Med*, 2020, 382 (20): 1894 – 1905. DOI: 10.1056/NEJMoa1915745.
- [26] QIN S, BAI Y, LIM HY, et al. Randomized, multicenter, open – label study of oxaliplatin plus fluorouracil/leucovorin versus doxorubicin as palliative chemotherapy in patients with advanced hepatocellular carcinoma from Asia [J]. *J Clin Oncol*, 2013, 31(28): 3501 – 3508. DOI: 10.1200/JCO.2012.44.5643.
- [27] BRUIX J, QIN S, MERLE P, et al. Regorafenib for patients with hepatocellular carcinoma who progressed on sorafenib treatment (RESORCE): A randomised, double – blind, placebo – controlled, phase 3 trial [J]. *Lancet*, 2017, 389 (10064): 56 – 66. DOI: 10.1016/S0140 – 6736(16)32453 – 9.
- [28] EL – KHOUEIRY AB, SANGRO B, YAU T, et al. Nivolumab in patients with advanced hepatocellular carcinoma (CheckMate 040): An open – label, non – comparative, phase 1/2 dose escalation and expansion trial [J]. *Lancet*, 2017, 389 (10088): 2492 – 2502. DOI: 10.1016/S0140 – 6736(17)31046 – 2.
- [29] ZHU AX, FINN RS, EDELINE J, et al. Pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib (KEYNOTE – 224): A non – randomised, open – label phase 2 trial [J]. *Lancet Oncol*, 2018, 19 (7): 940 – 952. DOI: 10.1016/S1470 – 2045(18)30351 – 6.
- [30] QIN S, REN Z, MENG Z, et al. Camrelizumab in patients with previously treated advanced hepatocellular carcinoma: A multicentre, open – label, parallel – group, randomised, phase 2 trial [J]. *Lancet Oncol*, 2020, 21 (4): 571 – 580. DOI: 10.1016/S1470 – 2045(20)30011 – 5.
- [31] INGOLD JA, REED GB, KAPLAN HS, et al. Radiation hepatitis [J]. *Am J Roentgenol Radium Ther Nucl Med*, 1965, 93: 200 – 208.
- [32] DURAND – LABRUNIE J, BAUMANN AS, AYAV A, et al. Curative irradiation treatment of hepatocellular carcinoma: A multicenter phase 2 trial [J]. *Int J Radiat Oncol Biol Phys*, 2020, 107(1): 116 – 125. DOI: 10.1016/j.ijrobp.2019.12.004.
- [33] TAKEDA A, SANUKI N, TSURUGAI Y, et al. Phase 2 study of stereotactic body radiotherapy and optional transarterial chemoembolization for solitary hepatocellular carcinoma not amenable to resection and radiofrequency ablation [J]. *Cancer*, 2016, 122(13): 2041 – 2049. DOI: 10.1002/cncr.30008.
- [34] RIM CH, KIM HJ, SEONG J. Clinical feasibility and efficacy of stereotactic body radiotherapy for hepatocellular carcinoma: A systematic review and meta – analysis of observational studies [J]. *Radiother Oncol*, 2019, 131: 135 – 144. DOI: 10.1016/j.radonc.2018.12.005.
- [35] SANUKI N, TAKEDA A, OKU Y, et al. Stereotactic body radiotherapy for small hepatocellular carcinoma: A retrospective outcome analysis in 185 patients [J]. *Acta Oncol*, 2014, 53 (3): 399 – 404. DOI: 10.3109/0284186X.2013.820342.
- [36] SU TS, LIANG P, LIANG J, et al. Long – term survival analysis of stereotactic ablative radiotherapy versus liver resection for small hepatocellular carcinoma [J]. *Int J Radiat Oncol Biol Phys*, 2017, 98(3): 639 – 646. DOI: 10.1016/j.ijrobp.2017.02.095.
- [37] HARA K, TAKEDA A, TSURUGAI Y, et al. Radiotherapy for hepatocellular carcinoma results in comparable survival to radiofrequency ablation: A propensity score analysis [J]. *Hepatology*, 2019, 69 (6): 2533 – 2545. DOI: 10.1002/hep.30591.
- [38] KIM N, CHENG J, JUNG I, et al. Stereotactic body radiation therapy vs. radiofrequency ablation in Asian patients with hepatocellular carcinoma [J]. *J Hepatol*, 2020, 73 (1): 121 – 129. DOI: 10.1016/j.jhep.2020.03.005.
- [39] SHIM SJ, SEONG J, HAN KH, et al. Local radiotherapy as a complement to incomplete transcatheter arterial chemoembolization in locally advanced hepatocellular carcinoma [J]. *Liver Int*, 2005, 25(6): 1189 – 1196. DOI: 10.1111/j.1478 – 3231.2005.01170.x.
- [40] KIM KH, KIM MS, CHANG JS, et al. Therapeutic benefit of radiotherapy in huge ( $\geq 10$  cm) unresectable hepatocellular carcinoma [J]. *Liver Int*, 2014, 34 (5): 784 – 794. DOI: 10.1111/liv.12436.
- [41] KOOM WS, SEONG J, HAN KH, et al. Is local radiotherapy still valuable for patients with multiple intrahepatic hepatocellular carcinomas? [J]. *Int J Radiat Oncol Biol Phys*, 2010, 77 (5): 1433 – 1440. DOI: 10.1016/j.ijrobp.2009.07.1676.
- [42] HUO YR, ESLICK GD. Transcatheter arterial chemoembolization plus radiotherapy compared with chemoembolization alone for hepatocellular carcinoma: A systematic review and Meta – analysis [J]. *JAMA Oncol*, 2015, 1(6): 756 – 765. DOI: 10.1001/jamaoncol.2015.2189.
- [43] CHAN SL, CHONG CC, CHAN AW, et al. Management of hepatocellular carcinoma with portal vein tumor thrombosis: Review and update at 2016 [J]. *World J Gastroenterol*, 2016, 22(32): 7289 – 7300. DOI: 10.3748/wjg.v22.i32.7289.
- [44] IM JH, YOON SM, PARK HC, et al. Radiotherapeutic strategies for hepatocellular carcinoma with portal vein tumour thrombosis in a hepatitis B endemic area [J]. *Liver Int*, 2017, 37 (1): 90 – 100. DOI: 10.1111/liv.13191.
- [45] YOON SM, LIM YS, WON HJ, et al. Radiotherapy plus transarterial chemoembolization for hepatocellular carcinoma invading the portal vein: Long – term patient outcomes [J]. *Int J Radiat Oncol Biol Phys*, 2012, 82 (5): 2004 – 2011. DOI: 10.1016/j.ijrobp.2011.03.019.
- [46] YOON SM, RYOO BY, LEE SJ, et al. Efficacy and safety of transarterial chemoembolization plus external beam radiotherapy vs sorafenib in hepatocellular carcinoma with macroscopic vascular invasion: A randomized clinical trial [J]. *JAMA Oncol*, 2018, 4(5): 661 – 669. DOI: 10.1001/jamaoncol.2017.5847.
- [47] KIM YJ, JUNG J, JOO JH, et al. Combined transarterial chemoembolization and radiotherapy as a first – line treatment for hepatocellular carcinoma with macroscopic vascular invasion: Necessity to subclassify Barcelona Clinic Liver Cancer stage C

- [J]. *Radiother Oncol*, 2019, 141: 95 – 100. DOI: 10.1016/j.radonc.2019.08.009.
- [48] LEE IJ, CHUNG JW, KIM HC, et al. Extrahepatic collateral artery supply to the tumor thrombi of hepatocellular carcinoma invading inferior vena cava: The prevalence and determinant factors[J]. *J Vasc Interv Radiol*, 2009, 20(1): 22 – 29. DOI: 10.1016/j.jvir.2008.09.030.
- [49] RIM CH, KIM CY, YANG DS, et al. External beam radiation therapy to hepatocellular carcinoma involving inferior vena cava and/or right atrium: A meta – analysis and systemic review [J]. *Radiother Oncol*, 2018, 129(1): 123 – 129. DOI: 10.1016/j.radonc.2018.02.030.
- [50] KATZ AW, CHAWLA S, QU Z, et al. Stereotactic hypofractionated radiation therapy as a bridge to transplantation for hepatocellular carcinoma: Clinical outcome and pathologic correlation [J]. *Int J Radiat Oncol Biol Phys*, 2012, 83(3): 895 – 900. DOI: 10.1016/j.ijrobp.2011.08.032.
- [51] O'CONNOR JK, TROTTER J, DAVIS GL, et al. Long – term outcomes of stereotactic body radiation therapy in the treatment of hepatocellular cancer as a bridge to transplantation [J]. *Liver Transpl*, 2012, 18(8): 949 – 954. DOI: 10.1002/lt.23439.
- [52] SAPISOCHIN G, BARRY A, DOHERTY M, et al. Stereotactic body radiotherapy vs. TACE or RFA as a bridge to transplant in patients with hepatocellular carcinoma. An intention – to – treat analysis[J]. *J Hepatol*, 2017, 67(1): 92 – 99. DOI: 10.1016/j.jhep.2017.02.022.
- [53] CHANG CM, WEI CK, LEE CH, et al. Long – term follow – up of central hepatocellular carcinoma in comparison with non – central hepatocellular carcinoma[J]. *Hepatogastroenterology*, 2012, 59(114): 492 – 495. DOI: 10.5754/hge11361.
- [54] WANG WH, WANG Z, WU JX, et al. Survival benefit with IMRT following narrow – margin hepatectomy in patients with hepatocellular carcinoma close to major vessels [J]. *Liver Int*, 2015, 35(12): 2603 – 2610. DOI: 10.1111/liv.12857.
- [55] WEI X, JIANG Y, ZHANG X, et al. Neoadjuvant three – dimensional conformal radiotherapy for resectable hepatocellular carcinoma with portal vein tumor thrombus: A randomized, open – label, multicenter controlled study[J]. *J Clin Oncol*, 2019, 37(24): 2141 – 2151. DOI: 10.1200/JCO.18.02184.
- [56] PARK YJ, LIM DH, PAIK SW, et al. Radiation therapy for abdominal lymph node metastasis from hepatocellular carcinoma [J]. *J Gastroenterol*, 2006, 41(11): 1099 – 1106. DOI: 10.1007/s00535 – 006 – 1895 – x.
- [57] ZHOU LY, ZENG ZC, FAN J, et al. Radiotherapy treatment of adrenal gland metastases from hepatocellular carcinoma: Clinical features and prognostic factors[J]. *BMC Cancer*, 2014, 14: 878. DOI: 10.1186/1471 – 2407 – 14 – 878.
- [58] HE J, ZENG ZC, TANG ZY, et al. Clinical features and prognostic factors in patients with bone metastases from hepatocellular carcinoma receiving external beam radiotherapy [J]. *Cancer*, 2009, 115(12): 2710 – 2720. DOI: 10.1002/cncr.24300.
- [59] JIANG W, ZENG ZC, ZHANG JY, et al. Palliative radiation therapy for pulmonary metastases from hepatocellular carcinoma[J]. *Clin Exp Metastasis*, 2012, 29(3): 197 – 205. DOI: 10.1007/s10585 – 011 – 9442 – 4.
- [60] PARK Y, KIM KS, KIM K, et al. Nomogram prediction of survival in patients with brain metastases from hepatocellular carcinoma treated with whole – brain radiotherapy: A multicenter retrospective study[J]. *J Neurooncol*, 2015, 125(2): 377 – 383. DOI: 10.1007/s11060 – 015 – 1926 – 7.
- [61] WANG MH, JI Y, ZENG ZC, et al. Impact factors for microinvasion in patients with hepatocellular carcinoma: Possible application to the definition of clinical tumor volume[J]. *Int J Radiat Oncol Biol Phys*, 2010, 76(2): 467 – 476. DOI: 10.1016/j.ijrobp.2009.01.057.
- [62] CULLETON S, JIANG H, HADDAD CR, et al. Outcomes following definitive stereotactic body radiotherapy for patients with Child – Pugh B or C hepatocellular carcinoma [J]. *Radiother Oncol*, 2014, 111(3): 412 – 417. DOI: 10.1016/j.radonc.2014.05.002.
- [63] SON SH, CHOI BO, RYU MR, et al. Stereotactic body radiotherapy for patients with unresectable primary hepatocellular carcinoma: Dose – volumetric parameters predicting the hepatic complication[J]. *Int J Radiat Oncol Biol Phys*, 2010, 78(4): 1073 – 1080. DOI: 10.1016/j.ijrobp.2009.09.009.
- [64] PAN CC, KAVANAGH BD, DAWSON LA, et al. Radiation – associated liver injury[J]. *Int J Radiat Oncol Biol Phys*, 2010, 76(3 Suppl): s94 – s100. DOI: 10.1016/j.ijrobp.2009.06.092.
- [65] KOAY EJ, OWEN D, DAS P. Radiation – induced liver disease and modern radiotherapy[J]. *Semin Radiat Oncol*, 2018, 28(4): 321 – 331. DOI: 10.1016/j.semradonc.2018.06.007.
- [66] HU Y, ZHOU YK, CHEN YX, et al. 4D – CT scans reveal reduced magnitude of respiratory liver motion achieved by different abdominal compression plate positions in patients with intrahepatic tumors undergoing helical tomotherapy [J]. *Med Phys*, 2016, 43(7): 4335. DOI: 10.1118/1.4953190.
- [67] Chinese Medical Association, Expert Committee on Liver Cancer and Digestive System of China Institute of Biomedical Engineering, Liver Cancer Research Group of Radiation Oncology Branch of China Research Hospital. Consensus on radiation therapy for primary liver cancer in 2016[J]. *Chin J Radiat Oncol*, 2016, 25(11): 1141 – 1150. DOI: 10.3760/cma.j.issn.1004 – 4221.2016.11.001.  
中华医学会放射肿瘤学分会, 中国生物医学工程学会精确放疗分会肝癌学组与消化系统肿瘤专家委员会, 中国研究型医院学会放射肿瘤学分会肝癌学组. 2016年原发性肝癌放疗共识[J]. *中华放射肿瘤学杂志*, 2016, 25(11): 1141 – 1150. DOI: 10.3760/cma.j.issn.1004 – 4221.2016.11.001.
- [68] Chinese Society of Infectious Diseases, Chinese Medical Association; Chinese Society of Hepatology, Chinese Medical Association. Guidelines for the prevention and treatment of chronic hepatitis B (version 2019) [J]. *J Clin Hepatol*, 2019, 35(12): 2648 – 2669. DOI: 10.3969/j.issn.1001 – 5256.2019.12.007.  
中华医学会感染病学分会, 中华医学会肝病学会. 慢性乙型肝炎防治指南(2019年版)[J]. *临床肝胆病杂志*, 2019, 35(12): 2648 – 2669. DOI: 10.3969/j.issn.1001 – 5256.2019.12.007.